

HOMESTEAD_VALLEY, MILL VALLEY

This Marin Chapter CNPS list was started in March 2017

Sources: Woods Biological Consulting Inc. Botanical Inventory and Marabeth Grahame
Bioblitz info. added 6/2017

ACANTHACEAE (ACANTHUS FAMILY)

Acanthus mollis bear's britches *

AGAVACEAE (AGAVE FAMILY)

Agave americana century plant *

Chlorogalum pomeridianum soap-root, star-lily

ALLIACEAE (ONION FAMILY)

Allium triquetrum European wild onion *

AMARYLLIDACEAE (AMARYLLIS FAMILY)

Amaryllis belladonna naked ladies *

ANACARDIACEAE (SUMAC FAMILY)

Toxicodendron diversilobum poison- oak

APIACEAE (CELERY FAMILY)

Angelica californica woodland angelica

Conium maculatum poison hemlock *

Foeniculum vulgare fennel *

Heracleum maximum cow parsnip

Lomatium dasycarpum biscuit-root

Lomatium utriculatum spring gold

Osmorhiza berteroi sweet cicely

Perideridia kelloggii yampah

Sanicula arctopoides footsteps-of-spring

Sanicula bipinnatifida red-purple sanicle

Sanicula crassicaulis Pacific sanicle, snake-root

Scandix pecten-veneris Venus's needle *

Torilis arvensis hedge-parsley *

APOCYNACEAE (DOGBANE FAMILY)

Vinca major Periwinkle *

AQUIFOLIACEAE (HOLLY FAMILY)

Ilex aquifolium English holly *

ARACEAE (ARUM-LILY FAMILY)

Zantedeschia aethiopica common calla *

ARALIACEAE (ARALIA FAMILY)

Aralia californica elk clover

Hedera helix English ivy *

ASTERACEAE (ASTER FAMILY)

Achillea millefolium yarrow

Adenocaulon bicolor trail-marker

Ageratina adenophora thoroughwort *

Anaphalis margaritacea pearly everlasting (but poss. another sp.)

Anisocarpus madioides woodland madia

Artemisia californica California sagebrush

Artemisia douglasiana California mugwort

Baccharis pilularis ssp. consanguinea	coyote brush	
Bellis perennis	English daisy	*
Bidens frondosa	sticktight, beggar ticks	
Carduus pycnocephalus	Italian thistle	*
Cirsium vulgare	bull or spear thistle	*
Crepis vesicaria ssp. taraxacifolia	hawksbeard	*
Delairea odorata	Cape-ivy	*
Dittrichia graveolens	stinkweed	*
Erigeron karvinskianus	Santa Barbara daisy	*
Eurybia radulina	broad-leaved aster	
Gamochaeta ustulata	silver-rosette cudweed	
Helenium puberulum (prob. not bigelovii)	sneezeweed, rosilla	
Helichrysum petiolare	licorice plant	*
Helminthotheca echioides	bristly ox-tongue	*
Hemizonia congesta ssp. lutescens	hayfield tarplant	
Heterotheca sessiliflora ssp. bolanderiodes	woolly golden- aster	
Hieracium albiflorum	hawkweed	
Hypochaeris glabra	smooth cat's-ear	*
Hypochaeris radicata	hairy cat's-ear	*
Lactuca saligna	willowleaf lettuce	*
Lapsana communis	nipplewort	*
Lasthenia californica ssp. californica	coastal goldfields	
Logfia gallica	narrow cudweed	*
Madia sativa	coast tarplant	
Matricaria discoidea	pineapple weed	*
Pseudognaphalium californicum	California everlasting	
Senecio glomeratus	Australian fireweed	*
Senecio jacobaea (only one other Marin occurrence)	tansy ragwort	*
Senecio vulgaris	common groundsel	*
Silybum marianum	milk thistle	*
Soliva sessilis	soliva	*
Sonchus asper ssp. asper	prickly sowthistle	*
Sonchus oleraceus	smooth sowthistle	*
Symphotrichum chilense	coast aster	
Taraxacum officinale	European dandelion	*
Tragopogon porrifolius	salsify	*
Wyethia angustifolia	narrow-leaf mule-ears	
BERBERIDACEAE (BARBERRY FAMILY)		
Mahonia (Berberis) pinnata ssp. pinnata	Oregon-grape, short leaf	
BETULACEAE (BIRCH FAMILY)		
Corylus cornuta ssp. californica	Ca. hazelnut	
BLECHNACEAE (DEER FERN FAMILY)		
Woodwardia fimbriata	chain fern	
BORAGINACEAE (BORAGE FAMILY)		
Cynoglossum grande	hound's tongue	
Echium candicans	pride of Madeira	*
Myosotis latifolia	weedy forget-me not	
BRASSICACEAE (MUSTARD FAMILY)		
Barbarea orthoceras	wintercress	
Cardamine californica	milkmaids	
Cardamine oligosperma	bittercress	
Hirschfeldia incana	summer mustard	*
Lepidium didymum	wart-cress	*

<i>Nasturtium officinale</i>	watercress	*
<i>Raphanu raphanistrum</i>	wild radish (yellow)	
<i>Raphanus sativus</i>	wild radish (pink or white)	*
<i>Sisymbrium officinale</i>	hedge mustard	*
CAPRIFOLIACEAE (HONEYSUCKLE FAMILY)		
<i>Lonicera hispidula</i>	California honeysuckle	
<i>Lonicera involucrata</i> var. <i>ledebourii</i>	twinberry honeysuckle	
<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	tall bush snowberry	
<i>Symphoricarpos mollis</i>	low-bush hairy snowberry	
CARYOPHYLLACEAE (PINK FAMILY)		
<i>Cardionema ramosissimum</i> (but prob. <i>Paronychia franciscana</i>)	spiny sandmat	
<i>Silene gallica</i>	windmill pink	*
<i>Spergularia rubra</i>	common pink spurrey	*
<i>Stellaria media</i>	common chickweed	*
<i>Stellaria nitens</i>	slender shining chickweed	
COMMELINACEAE (SPIDERWORT FAMILY)		
<i>Tradescantia fluminensis</i>	spiderwort	*
CONVOLVULACEAE (BINDWEED FAMILY)		
<i>Calystegia purpurata</i> ssp. <i>purpurata</i>	common morning glory	
<i>Calystegia subacaulis</i> ssp. <i>subacaulis</i>	short-stem morning glory	
<i>Convolvulus arvensis</i>	field bindweed	*
<i>Dichondra donnelliana</i>	pony's foot	
<i>Ipomoea indica</i>	blue morning-glory	*
CRASSULACEAE (STONECROP FAMILY)		
<i>Crassula connata</i>	sand pigmy-weed	
<i>Dudleya cymosa</i> ssp. <i>cymosa</i> or <i>D. farinosa</i>	rock- lettuce	
CUCURBITACEAE (CUCUMBER FAMILY)		
<i>Marah fabacea</i>	green-flowered manroot	
CUPRESSACEAE (CYPRESS FAMILY)		
<i>Hesperocyparis macrocarpa</i>	Monterey cypress	*
CYPERACEAE (SEDGE FAMILY)		
<i>Carex amplifolia</i>	wide-leaved sedge	
<i>Cyperus eragrostis</i>	umbrella-sedge	
DENNSTAEDTIACEAE (BRACKEN FERN FAMILY)		
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	western bracken-fern	
DIPSACACEAE (TEASEL FAMILY)		
<i>Dipsacus sativus</i>	white teasel	*
<i>Scabiosa atropurpurea</i>	pincushion scabious	
DRYOPTERIDACEAE (WOOD FERN FAMILY)		
<i>Dryopteris arguta</i>	common wood fern	
<i>Polystichum munitum</i>	sword fern	
EQUISETACEAE (HORSETAIL FAMILY)		
<i>Equisetum hyemale</i>	scouring rush	
<i>Equisetum telmateia</i> ssp. <i>braunii</i>	giant horsetail	

ERICACEAE (HEATHER FAMILY)

<i>Arbutus menziesii</i>	madrone	
<i>Gaultheria shallon</i>	salal	
<i>Vaccinium ovatum</i>	evergreen huckleberry	

EUPHORBIACEAE (SPURGE FAMILY)

<i>Croton setigerus</i>	turkey-mullein	
<i>Euphorbia oblongata</i>	oblong spurge	*
<i>Euphorbia peplus</i>	petty spurge	*

FABACEAE (FAVA BEAN FAMILY)

<i>Acacia dealbata</i> (was <i>A. decurrens</i>)	silver wattle	*
<i>Acacia melanoxylon</i>	black-wood acacia	*
<i>Acacia paradoxa</i>	Kangaroo-thorn (E. Marin Is.)	*
<i>Acmispon brachycarpus</i>	colchita, hairy hill lotus	
<i>Acmispon parviflorus</i>	tiny-flowered lotus	
<i>Acmispon wrangelianus</i>	sub-pinnate lotus	
<i>Albizia julibrissin</i>	pink mimosa tree	*
<i>Cytisus scoparius</i>	Scots' broom	*
<i>Genista monspessulana</i>	French broom	*
<i>Lathyrus vestitus</i> ssp. <i>vestitus</i>	hillside pea	
<i>Lotus corniculatus</i> (prob. <i>L. tenuis</i>)	bird's-foot trefoil	*
<i>Lupinus albifrons</i>	silver-leaf lupine	
<i>Lupinus bicolor</i>	small-flowered annual lupine	
<i>Lupinus microcarpus</i> var. <i>densiflorus</i>	chick lupine	
<i>Lupinus nanus</i>	sky lupine	
<i>Medicago arabica</i>	spotted bur-clover, Calvary-clover	*
<i>Medicago polymorpha</i>	bur-clover	*
<i>Spartium junceum</i>	Spanish broom	*
<i>Trifolium campestre</i>	hop clover	*
<i>Trifolium depauperatum</i> var. <i>amplectens</i>	sac-clover	
<i>Trifolium glomeratum</i>	clustered clover	*
<i>Trifolium gracilentum</i>	pin-point clover	
<i>Trifolium hirtum</i>	rose clover	*
<i>Trifolium macraei</i>	twinhead clover	
<i>Trifolium subterraneum</i>	subterranean clover	*
<i>Trifolium wildenovii</i>	tomcat clover	
<i>Vicia benghalensis</i>	hairy red-flowered vetch	*
<i>Vicia sativa</i> ssp. <i>nigra</i>	narrow-leaved common vetch	*
<i>Vicia villosa</i> ssp. <i>varia</i>	blue-purple vetch	*

FAGACEAE (BEECH FAMILY)

<i>Notholithocarpus densiflorus</i>	tanbark oak	
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	coast live oak	

GARRYACEAE (GARRYA FAMILY)

<i>Garrya elliptica</i>	silktassel	
-------------------------	------------	--

GERANIACEAE (GERANIUM FAMILY)

<i>Erodium botrys</i>	longfruit broad-leaf filaree	*
<i>Erodium cicutarium</i>	red-stem filaree	*
<i>Erodium moschatum</i>	white-stem filaree	*
<i>Geranium carolinianum</i>	Carolina cranesbill	
<i>Geranium dissectum</i>	cut-leaved cranesbill	*
<i>Geranium molle</i>	soft-leaved cranesbill	*
<i>Geranium purpureum</i>	smooth-leaved herb-robert	*
<i>Geranium robertianum</i>	hairy-leaved herb-robert	*

GROSSULARIACEAE (GOOSEBERRY FAMILY)		
<i>Ribes menziesii</i> var. <i>menziesii</i>	Menzies' gooseberry	
HYDRANCEACEAE (HYDRANGEA FAMILY)		
<i>Philadelphus</i> sp. (prob. not <i>lewisii</i>)	mock-orange	*
HYPERICACEAE (ST. JOHN'S WORT FAMILY)		
<i>Hypericum perforatum</i> ssp. <i>perforatum</i>	Klamathweed, St. John's-wort	*
IRIDACEAE (IRIS FAMILY)		
<i>Chasmanthe floribunda</i>	chasmanthe	*
<i>Crocsmia Xrocosmiiflora</i>	montbretia	*
<i>Iris douglasiana</i> "var. <i>major</i> "	Douglas' iris	
<i>Iris foetidissima</i>	stinking gladdon	*
<i>Iris germanica</i>	bearded iris	*
<i>Iris macrosiphon</i>	ground iris	
<i>Romulea rosea</i>	pink sandcrocus	*
<i>Sisyrinchium bellum</i>	blue-eyed-grass	
JUNCACEAE (RUSH FAMILY)		
<i>Juncus balticus</i> ssp. <i>ater</i>	wiry rush	
<i>Juncus bufonius</i> var. <i>bufonius</i>	toad rush	
<i>Juncus lescurii</i> (unusual habitat)	saltmarsh/ dune rush	
<i>Juncus patens</i>	blue-green rush	
<i>Juncus occidentalis</i> (or <i>J. tenuis</i>)	western grass-leaved rush	
<i>Juncus xiphioides</i>	iris-leaved rush	
<i>Luzula comosa</i>	woodland wood-rush	
LAMIACEAE (MINT FAMILY)		
<i>Ajuga reptans</i>	bugle	*
<i>Clinopodium douglasii</i>	yerba buena	
<i>Lavandula stoechas</i>	French lavender	*
<i>Mentha pulegium</i>	European pennyroyal	*
<i>Monardella villosa</i> ssp. <i>villosa</i>	hairy coyote mint	
<i>Prunella vulgaris</i> var. <i>lanceolata</i>	large-flowered native selfheal	
<i>Stachys rigida</i> var. <i>quercetorum</i>	woodland hedgenettle	
LAURACEAE (LAUREL FAMILY)		
<i>Umbellularia californica</i>	California bay- laurel, pepperwood	
LILIACEAE (LILY FAMILY)		
<i>Calochortus umbellatus</i>	Oakland star-tulip	LIST 4.2
<i>Clintonia andrewsiana</i>	clintonia	
<i>Fritillaria affinis</i> var. <i>affinis</i>	mission bells	
<i>Fritillaria lanceolata</i> var. <i>tristulis</i>	Pt. Reyes chocolate lily	LIST 1B.1
<i>Prosartes hookeri</i>	green fairy-bell	
<i>Scoliopus bigelovii</i>	fetid adder's tongue	
LINACEAE (FLAX FAMILY)		
<i>Linum bienne</i>	pale flax	*
LYTHRACEAE (LOOSESTRIFE FAMILY)		
<i>Lythrum hyssopifolia</i>	loosestrife	
MALVACEAE (MALLOW FAMILY)		
<i>Malva parviflora</i>	cheese-weed	*
<i>Sidalcea malviflora</i> ssp. <i>laciniata</i> /or ssp. <i>malviflora</i>	upright checkerbloom (commonest ssp. in County)	

MELANTHIACEAE (FALSE HELLEBORE FAMILY)		
<i>Toxicoscordion fremontii</i>	zigadene, death camas	
<i>Trillium chloropetalum</i>	giant wakerobin	
<i>Trillium ovatum</i>	redwood wakerobin	
MONTIACEAE (MONTIA FAMILY)		
<i>Calandrinia menziesii</i>	redmaids	
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	miners' lettuce	
<i>Claytonia sibirica</i>	candy-stripe claytonia	
<i>Montia fontana</i>	water montia, blinks	
MORACEAE (MULBERRY FAMILY)		
<i>Ficus carica</i>	edible fig	*
MYRICACEAE (BAYBERRY FAMILY)		
<i>Morella californica</i>	California wax- myrtle	
MYRSINACEAE (MYRSINE FAMILY)		
<i>Anagallis (Lysimachia) arvensis</i>	scarlet pimpernel	
<i>Trientalis (Lysimachia) latifolia</i>	Pacific star-flower	
MYRTACEAE (MYRTLE FAMILY)		
<i>Eucalyptus globulus</i>	Tasmanian bluegum	*
ONAGRACEAE (EVENING-PRIMROSE FAMILY)		
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	hairy willowherb	
<i>Epilobium ciliatum</i> ssp. <i>watsonii</i>	coastal willowherb	
<i>Taraxia ovata</i>	grassland sun-cups	
ORCHIDACEAE (ORCHID FAMILY)		
<i>Corallorhiza maculata</i> var. <i>occidentalis</i>	(oak-parasitic) non-spotted coral-root	
<i>Epipactis helleborine</i>	European helleborine orchid	*
OROBANCHACEAE (BROOMRAPE FAMILY)		
<i>Castilleja densiflora</i> ssp. <i>densiflora</i> (prob. NOT <i>C. exserta</i>)	common owl's clover	
<i>Pedicularis densiflora</i>	Indian warrior	
<i>Triphysaria pusilla</i>	least owl's-clover	
OXALIDACEAE (WOOD-SORREL FAMILY)		
<i>Oxalis corniculata</i>	lawn oxalis	*
<i>Oxalis incarnata</i>	pale oxalis	*
<i>Oxalis pes-caprae</i>	Bermuda-buttercup, sourgrass	*
<i>Oxalis pilosa</i>	annual woodsorrel	*
<i>Oxalis purpurea</i>	deep pink oxalis	*
PAPAVERACEAE (POPPY FAMILY)		
<i>Eschscholzia californica</i>	California poppy	
<i>Fumaria capreolata</i>	ramping fumitory	*
PASSIFLORACEAE (PASSION FLOWER FAMILY)		
<i>Passiflora mixta</i>	passionflower	
PHRYMACEAE (LOPSEED FAMILY)		
<i>Mimulus (Diplacus) aurantiacus</i> ssp. <i>aurantiacus</i>	orange bush monkeyflower	

PINACEAE (PINE FAMILY)

<i>Pinus radiata</i>	Monterey pine	*
<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>	Douglas- fir	

PITTOSPORACEAE (PITTOSPORUM FAMILY)

<i>Pittosporum crassifolium</i>	red-flowered pittosporum	*
<i>Pittosporum eugenioides</i>	ta-ra-ta	*
<i>Pittosporum tenuifolium</i>	ta-whi-hi	*
<i>Pittosporum undulatum</i>	Victorian- box	*

PLANTAGINACEAE (PLANTAIN FAMILY)

<i>Antirrhinum orontium</i>	weasel snout	*
<i>Plantago erecta</i>	dwarf plantain	
<i>Plantago lanceolata</i>	ribwort, English plantain	*

POACEAE (GRASS FAMILY)

<i>Agrostis pallens</i>	variable bentgrass	
<i>Aira caryophylla</i>	silver hairgrass	*
<i>Arrenatherium elatius</i>	false-oat	*
<i>Avena barbata</i>	slim oat	*
<i>Avena fatua</i>	fat oat	*
<i>Brachypodium distachyon</i>	silica grass	*
<i>Briza maxima</i>	rattlesnake grass	*
<i>Briza minor</i>	little rattlesnake grass	*
<i>Bromus carinatus</i> var. <i>carinatus</i>	California brome	
<i>Bromus diandrus</i>	ripgut brome	*
<i>Bromus hordeaceus</i>	soft brome, chess	*
<i>Bromus laevipes</i>	woodland brome	
<i>Bromus madritensis</i> ssp. <i>rubens</i>	foxtail chess	*
<i>Bromus sterilis</i>	poverty brome	*
<i>Cortaderia jubata</i>	tall-stem pampas grass	*
<i>Cynosurus echinatus</i>	dogtail grass	*
<i>Dactylis glomerata</i>	orchard grass	*
<i>Danthonia californica</i>	Ca. oatgrass	
<i>Ehrharta erecta</i>	green veldtgrass	*
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	blue wildrye	
<i>Festuca bromoides</i>	brome-like annual fescue	*
<i>Festuca californica</i>	California giant fescue	
<i>Festuca idahoensis</i>	Idaho fescue	
<i>Festuca myuros</i>	mouse-tail fescue	*
<i>Festuca perennis</i>	annual and perennial ryegrasses	*
<i>Festuca pratensis</i>	meadow fescue	*
<i>Holcus lanatus</i>	velvet grass	*
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	foxtail barley	*
<i>Hordeum murinum</i> ssp. <i>leporinum</i>	farmers' foxtail	*
<i>Koeleria macrantha</i>	Junegrass	
<i>Melica californica</i>	grassland melicgrass	
<i>Melica imperfecta</i>	melicgrass	
<i>Melica subulata</i>	Alaska oniongrass	
<i>Melica torreyana</i>	slender melicgrass	
<i>Poa annua</i>	annual bluegrass	*
<i>Poa secunda</i> ssp. <i>secunda</i>	early bluegrass, malpais bluegrass	
<i>Polypogon monspeliensis</i>	annual beardgrass	*
<i>Stipa miliacea</i> var. <i>miliacea</i>	smilgrass	*
<i>Stipa pulchra</i>	purple needlegrass	
<i>Stipa purpurata</i>	Chilean grass	*

POLYGALACEAE (MILKWORT FAMILY)

Polygala californica pink-flowered milkwort

POLYGONACEAE (BUCKWHEAT FAMILY)

Eriogonum nudum var. *nudum* nude buckwheat
Muhlenbeckia complexa mattress-vine *
Rumex acetosella sheep sorrel (dioecious) *
Rumex conglomeratus clustered dock *
Rumex crispus curly dock *
Rumex pulcher fiddle dock *

POLYPODIACEAE (POLYPODY FERN FAMILY)

Polypodium californicum Ca. rock polypody
Polypodium calirhiza (not in Howell) woodland polypody fern

PORTULACACEAE (PURSLANE FAMILY)

Portulaca oleracea common purslane *

PRIMULACEAE (PRIMROSE FAMILY)

Primula (was *Dodecatheon*) *hendersonii* shooting stars

PTERIDACEAE (BRAKE FERN FAMILY)

Adiantum jordanii California maidenhair
Pellaea andromedifolia coffee fern
Pentagramma triangularis ssp. *triangularis* goldback fern

RANUNCULACEAE (BUTTERCUP FAMILY)

Aquilegia formosa red columbine
Clematis vitalba traveller's joy *
Delphinium nudicaule red larkspur
Ranunculus californicus var. *californicus* California buttercup
Ranunculus muricatus spiny-fruit buttercup *
Thalictrum fendleri var. *polycarpum* tall meadowrue

RHAMNACEAE (BUCKTHORN FAMILY)

Frangula californica ssp. *californica* coffeeberry

ROSACEAE (ROSE FAMILY)

Acaena pinnatifida var. *californica* Ca. *acaena*
Aphanes occidentalis parsley-piert
Amelanchier utahensis serviceberry
Cotoneaster franchetii Franchet's cotoneaster *
Cotoneaster lacteus big-leaved cotoneaster *
Cotoneaster pannosus small-leaved cotoneaster *
Crataegus monogyna European red-fruit hawthorn *
Drymocallis glandulosa var. *wrangeliiana* sticky cinquefoil
Fragaria vesca woodland wild strawberry
Heteromeles arbutifolia toyon, Christmasberry
Holodiscus discolor ocean-spray,
Oemleria cerasiformis osoberry, Indian plum
Prunus cerasifera cherry-plum *
Rosa gymnocarpa var. *gymnocarpa* woodland rose
Rubus armeniacus "Himalaya" blackberry *
Rubus parviflorus thimbleberry
Rubus ursinus California blackberry

RUBIACEAE (MADDER FAMILY)		
Galium aparine	goose-grass bedstraw	*
Galium triflorum	sweet-scented forest bedstraw	
Sherardia arvensis	field madder	*
RUSCACEAE (BUTCHER'S - BROOM FAMILY)		
Maianthemum racemosum	fat Solomon-seal	
Maianthemum stellatum	slim Solomon-seal	
SALICACEAE (WILLOW FAMILY)		
Salix lasiolepis	arroyo willow	
SAPINDACEAE (SOAPBERRY FAMILY)		
Acer macrophyllum	bigleaf maple	
Aesculus californica	California buckeye	
SAXIFRAGACEAE (SAXIFRAGE FAMILY)		
Heuchera micrantha	alum root	
Lithophragma affine	woodland star	
Micranthes californica	Ca. saxifrage	
SCROPHULARIACEAE (FIGWORT FAMILY)		
Scrophularia californica ssp. californica	bee- plant, figwort	
SELAGINACEAE (SPIKE- MOSS FAMILY)		
Selaginella wallacei	Wallace's spike-moss	
SOLANACEAE (NIGHTSHADE FAMILY)		
Solanum aviculare	tall shrubby nightshade (w/purple fls.)	*
TAXODIACEAE (REDWOOD FAMILY)		
Sequoia sempervirens	coast redwood	
THEMIDACEAE (BRODIAEA FAMILY)		
Dichelostemma capitatum ssp. capitatum	bluedicks, wild hyacinth	
Triteleia laxa	Ithuriel's spear, wally-basket	
TROPAEOLACEAE (TROPAEOLUM FAMILY)		
Tropaeolum majus	garden nasturtium	*
URTICACEAE (NETTLE FAMILY)		
Urtica dioica ssp. holosericea	robust stinging nettle	
VALERIANACEAE (VALERIAN FAMILY)		
Centranthus ruber	Jupiter's beard, valerian	*
Plectritis congesta ssp. brachystemon	seablush	
VIOLACEAE (VIOLET FAMILY)		
Viola sempervirens	redwood violet	
WOODSIACEAE (WOODSIA FERN FAMILY)		
Athyrium filix-femina var. cyclosorum	north- western lady fern	

Notes

- Non-native plants or natives planted out of natural, native location.

CNPS Rare Plant Codes:

LIST 1B Listed in the C.N.P.S. Inventory of Rare & Endangered Plants, as of highest priority.

LIST 2 Plants rare in Ca. but occur elsewhere.

LIST 3 more info. needed

LIST 4 limited distribution

Additional decimal ranking for degree of threat to populations:

0.1 seriously-threatened, 0.2 moderately threatened 0.3 no obvious threats